Author Index

Adams, B. L., 15
Ahn, S., 255

Bandyopadhyay, P. C., 245
Bittner, J. C., 15
Bowen, H. K., 235

Case, E. D., 7
Cejp, J., 153
Cha, J. C., 121
Chang, C.-M. R., L15
Chaturvedi, M. C., 1
Chiang, C. K., L27
Chou, H. M., 7
Chu, J., 31
Cohen, J. B., 255

Devgun, M. S., 129

Fortes, M. A., 69
Fowler, H. A., L27

Gao, Y.-Q., 115
Gawlik, G., 161
Godowski, P., L19
Gopalam, B. S. V., 241
Grabski, M. W., 85, 93
Gudmundsson, B., 207

Herman, H., v
Ho, N. J., 79
Hua, M., L23
Hwang, S. L., 177

Iyer, K. J. L., L7

Jacobson, B. E., 207
Jagielski, J. J., 161
Jain, A. K., 145
Jena, A. K., 1
Jiménez-Garay, R., 229
Jin, Y., L23

Karmazin, L., 201
Kato, M., 31
Khastgir, D., 245
Kim, C. H., 121
Kobayashi, T., 45
Koczak, M. J., 37
Kozubowski, J. A., 161
Kuldeep, 145
Kwon, H., 121

Laird, C., 57
Li, C., L23
Lin, R.-S., L1
Lunarski, J., 161

Macek, K., 153
Maiti, H. S., 245
Markworth, A. J., 169
Márquez, E., 229
Melmed, A. J., L27
Messerschmidt, U., 101
Mulay, L. N., L11
Murali, K. R., 241
Murty, G. S., 37

Nahass, P., 235
Naidu, S. V., 187
Niinomi, M., 45
Nourbakhsh, S., 109

O'Brien, T. D., 109

Pak, H.-R., 31
Pilling, J., 137
Pluhar, J., 153
Podgorski, A., 161
Pope, D. P., 31

Ritchie, R. O., 23
Rolinski, E., 193
Rosa, M. E., 69
Rosenberg, Z., L9

Sasaki, N., 45
Sen, P., 187
Senior, B. A., 219
Serrano, J. R., L15
Sharma, S. K., 145
Shen, P., 177
Shull, R. D., L27
Swiatnicki, W. A., 85, 93

Tjong, S. C., 79
Tong, L.-Z., 115

Varma, S. K., L15
Venkateswara Rao, K. T., 23
Villares, P., 229
Viswanathan, S. K., 241

Wang, W., 115
Wang, Z., 57
Wu, L. T., 79

Yan, M., L23

Zielinski, W., 161

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aging
  aging and partial austenitizing of age-hardenable Cr–Ni–Mo steels of the type 10–10–2 and 6–11–3, 153
Alloys
  alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177
  effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum–lithium alloy 2090, 23
  on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229
  some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
  some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
  sulphur restraint of surface sites in Co–5.4at.%Ru alloy, L19
  the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
  toughness and microstructural factors of Ti–6Al–4V alloy, 45
Aluminium
  alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177
  effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum–lithium alloy 2090, 23
  some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
  structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
  superplastic behavior of an Al–4wt.%Ti alloy processed by the powder metallurgy route, 37
  the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
  toughness and microstructural factors of Ti–6Al–4V alloy, 45
Amorphous
  diffusion of antimony in amorphous and crystallized $Fe_{82}B_{18}$, 145
Amorphous alloys
  a model for the structures of amorphous metal–metalloid alloys, L1
Annealing temperature
  effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15
Antimony
  diffusion of antimony in amorphous and crystallized $Fe_{82}B_{18}$, 145
Arsenic
  on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229
Austenite
  some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
Austenitic steel
  effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
  I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
  effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
  II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
Austenitizing
  aging and partial austenitizing of age-hardenable Cr–Ni–Mo steels of the type 10–10–2 and 6–11–3, 153

Back stress
  friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31
Barium
  the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27
Boron
  diffusion of antimony in amorphous and crystallized $Fe_{82}B_{18}$, 145

Chrome
  TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161
Chromium
  aging and partial austenitizing of age-hardenable Cr–Ni–Mo steels of the type 10–10–2 and 6–11–3, 153
  some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
Cobalt
  structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
  sulphur restraint of surface sites in Co–5.4at.%Ru alloy, L19
Copper
  correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4}–10^{-2}, 15
  cyclic stress–strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
  effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15
  growth and characterization of $CuInSe_2$ films by close-space evaporation, 241
  the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27

© Elsevier Sequoia/Printed in The Netherlands

the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
Cork
temperature-induced alterations of the structure and mechanical properties of cork, 69
Cryostat
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11

Dielectric
polystyrene–titania composite as a dielectric material, 245
Diffusion bonding
the kinetics of isostatic diffusion bonding in superplastic materials, 137
Dislocation
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
line tension model of the interaction between dislocations and extended obstacles to glide, 101

Elastic modulus
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7
Electronic conduction
on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229
Eutectoid gap
phase transformations of low-alloy steel at temperatures inside the eutectoid gap, 201
Evaporation
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241

Fatigue
cyclic stress–strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum–lithium alloy 2090, 23
some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
Field ion microscopy
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27
Fracture
assessment of fracture characteristics with X-ray diffraction techniques, 129
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum–lithium alloy 2090, 23
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121
Friction stress
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31

Garnet
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7
Germanium
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31
Grain boundary diffusivity
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
Grain size
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Hydrogen
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7

Indium
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241
Inductance coil
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11
Iridium
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Iron
diffusion of antimony in amorphous and crystallized $Fe_{82}B_{18}$, 145
some aspects of the dislocation microstructures in fatigued Fe–Cr–Al alloys, 79
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Line tension
line tension model of the interaction between dislocations and extended obstacles to glide, 101
Lithium
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum–lithium alloy 2090, 23

Magnesium
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
Magnetite
the distribution of Σ boundaries in sintered magnetite, 255
Martensite
on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Meissner effect
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11
Molybdenum
aging and partial austenitizing of age-hardenable Cr–Ni–Mo steels of the type 10–10–2 and 6–11–3, 153
surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187
Multiple surface-nucleation
a kinematical model of liquid-drop solidification due to multiple surface-nucleation events, 169
Multiple twinning
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23

Nickel
aging and partial austenitizing of age-hardenable Cr–Ni–Mo steels of the type 10–10–2 and 6–11–3, 153
alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31
structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
Nitrides
TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161

Oxygen
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27

Palladium
strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Plasma
structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
Plasma nitriding
mechanism of high-temperature plasma nitriding of titanium, 193
Plastic flow
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
Polystyrene
polystyrene–titania composite as a dielectric material, 245
Precipitation
precipitation of titania in a continuous-flow reactor with an organic base stabilizer, 235

Resistance
on the elastic strain coefficients of resistance of metals, L9
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Rhodium
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Ruthenium
sulphur restraint of surface sites in Co–5.4at.%Ru alloy, L19

Scanning electron microscopy
surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187
Selenium
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241
on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229
Sigma boundaries
the distribution of Σ boundaries in sintered magnetite, 255
Silver
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Solidification
a kinematical model of liquid-drop solidification due to multiple surface-nucleation events, 169
Steel
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1
phase transformations of low-alloy steel at temperatures inside the eutectoid gap, 201
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121
Strain
correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4}–10^{-2}, 15
cyclic stress–strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
on the elastic strain coefficients of resistance of metals, L9
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115
Strain localization
cyclic stress–strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
Stress
cyclic stress–strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
Subgrain growth
effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15
Sulphur restraint
sulphur restraint of surface sites in Co–5.4at.%Ru alloy, L19

Superconductors
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27
Superplastic
superplastic behavior of an Al–4wt.%Ti alloy processed by the powder metallurgy route, 37
the kinetics of isostatic diffusion bonding in superplastic materials, 137
Surface erosion
surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187
Surface sites
sulphur restraint of surface sites in Co–5.4at.%Ru alloy, L19

Tellurium
on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229
Tensile strength
on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1
Titania
polystyrene–titania composite as a dielectric material, 245
precipitation of titania in a continuous-flow reactor with an organic base stabilizer, 235
Titanium
alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177
mechanism of high-temperature plasma nitriding of titanium, 193
superplastic behavior of an Al–4wt.%Ti alloy processed by the powder metallurgy route, 37
texture formation and transition in cold-rolled titanium, 109
toughness and microstructural factors of Ti–6Al–4V alloy, 45
Toughness
toughness and microstructural factors of Ti–6Al–4V alloy, 45

Transmission electron microscopy
TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161

Vanadium
toughness and microstructural factors of Ti–6Al–4V alloy, 45

Welds
the solidification and in-service transformation behaviour of type 316 and 347 welds fabricated with type 321 plate, 219

X-ray diffraction
assessment of fracture characteristics with X-ray diffraction techniques, 129

Yield
correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4}–10^{-2}, 15
Yttria
alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177
Yttrium
structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$-type high-temperature superconductors observed by field ion microscopy, L27
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Zinc
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al–Zn–Mg–Cu alloys, L23
Zirconia
alloying behaviour of Ni_2AlTi and NiAl in yttria–partially stabilized zirconia, 177